

## SAFETY DATA SHEET


according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Issue date: 28. 02. 2013

Revision: 08. 08. 2019.

Version: 4.00



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: R-410a  
Substance/Mixture: Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified use: Refrigerant gas .

#### 1.3. Details of the supplier of the safety data sheet

Producer/supplier: Vrec-Co Kft.  
Address: H-6763 Szatymaz Kossuth u. 12.  
Phone: +36-62-283-481  
Fax: +36-62-583-550  
E-mail: info@vrec-co.hu

Safety data sheet prepared by: TOXICHEM KFT.  
Address: 6721 Szeged Osztróvszky u. 27.  
Phone: +36 30 999 77 82  
Fax: +36 62 64 12 13  
E-mail: info@toxichem.hu

#### 1.4. Emergency telephone number:


Austria tel.: +431 406 43 43, Belgium tel.: 070/245.245, Bulgaria tel.: +359 2 9154 409, Czech Republic tel.: +420 224 919 293, +420 224 915 402, Denmark tel.: 82 12 12 12, Estonia tel.: 112, Finland tel.: (09) 471 977 (direct) or (09) 4711, France tel.: ORFILA (INRS) : + 33 (0)1 45 42 59 59, Ireland tel.: 01 809 2166, Lithuania tel.: +370 5 236 20 52, +370 687 53378, Malta tel.: 2545 0000, Medicines & Poisons Info Office tel.: 2545 6504, Norway tel.:22 59 13 00, Portugal tel.: 808 250 143, Romania tel.: 021.318.36.06 (8:00 – 15:00), Slovakia tel.: +421 2 5477 4166, Spain tel.: + 34 91 562 04 20, Sweden tel.: 112; 08-331231 (9:00-17:00).

# SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

## R-410a

Revision: 08. 08. 2019.



### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture:

Regulation (EC) 1272/2008 (CLP):

Gases under pressure - Liquefied gas - (Press. Gas, H280)

*H-statements see in Section 2.2. and 16.*

#### 2.2. Label elements

Regulation (EC) 1272/2008 (CLP):

Pictogram:



Signal word:

Warning

Hazard statement:

H280

Contains gas under pressure; may explode if heated.

Precautionary statement:

P410+P403

Protect from sunlight. Store in a well-ventilated place.

#### 2.3. Other hazards

Physical hazards:

Liquified gas.

The risk of drowning is often under-emphasized, so we emphasize its potential in any training. Teach users the technique of resuscitation.

# SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

## R-410a

Revision: 08. 08. 2019.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Components	EU-number	REACH number	CAS-number	Index-number	Weight %	Classification (Regulation (EC) No 1272/2008)
1,1,1,2,2-pentafluoroethane	206-557-8	01-2119485636-25	354-33-6	-	50	Press. Gas H280
Difluoromethane	200-839-4	01-2119471312-47	75-10-5	-	50	Flam. Gas 1 H220 Press. Gas H280

H-statements see in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures


Medical intervention:	Call physician in case of asphyxiation, frostbite.
Inhalation:	Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rest. Call a doctor. Apply artificial respiration if breathing stopped.
Ingestion:	Ingestion is not considered a potential route of exposure.
Skin contact: – frostbite	In case of frostbite spray with water for at least 15 minutes. Apply a sterile bandage. Obtain medical assistance.
Eye contact:	Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical assistance.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation:	High concentrations may effect the nervous system and produce a rapid anesthetic effect. The dense vapor of this material can reduce the oxygen available for breathing and produce symptoms such as headache, dizziness, drowsiness, cyanosis and lack of muscle control followed by collapse.
Ingestion:	Ingestion is not considered a potential route of exposure.
Skin contact:	Skin contact with the liquid may cause frostbite.
Eye contact:	Contact with the liquid may cause frostbite.
Delayed effects:	Not expected.
General:	May produce irregular heart beat and nervous symptoms.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Advice for physician:	Symptomatic treatment is recommended .
Special equipment at the workplace:	Not needed.




## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.



### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Applicable extinguishing media All known extinguisher can be used.

Not applicable extinguishing media No information.

#### 5.2. Special hazards arising from the substance or mixture

Specific risk: May decompose on contact with flames or extremely hot metal surfaces to produce toxic and corrosive products. Liquid and gas under pressure, overheating or over-pressurizing may cause gas release and/or violent cylinder bursting. Container may explode if heated due to resulting pressure rise.

#### 5.3. Advice for firefighters

Special protective equipment: Respiratory protective devices. (EN 14593-1)  
Protective clothing against liquid chemicals. (EN 14605)

Advice: If possible, stop flow of product.  
Move away from the container and cool with water from a protected position.  
Use self-contained breathing apparatus and chemically protective clothing.

Fire classification: Non-flammable.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal emergency procedures: Evacuate the area.  
Wear a self-contained breathing apparatus when entering the area unless atmosphere is proved to be safe. The affected area in the direction of the wind and other personnel carrying out damage control does not stay! The evacuation of persons facing the wind to be performed.  
Ensure adequate air ventilation.

#### 6.2. Environmental precautions


Environmental precautions: Try to stop release. Land of the danger area should be closed. High safety zone must be established.  
Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.



### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Ventilate area.

### 6.4. Reference to other sections

Personal protective equipment: See the Section 8.

Waste management: See the Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Recommendations for safe handling: This product should be used by properly trained person!  
Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.  
Refer to supplier's container handling instructions.

Fire and explosion protection: Non-flammable.

Hygiene standards: The people in contact with product should be maintained the workplace hygiene standards. After the treatment of the product at breaks, before eating, after work the hot hand and face washing is necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures / Storage conditions: Can only be stored in a closed system, should be checked regularly for tightness. Store only in the original packaging. Tightly closed.  
Protect from sunlight and sources of heat.  
The bottles, containers are stored in an upright position, so as to prevent any contact with the liquid phase from the gas phase designed parts. After use, close the air outlet of the valve.

Incompatible materials: Strong alkali or alkaline earth metals, finely powdered metals such as aluminum, magnesium or zinc and strong oxidizers.

### 7.3. Specific end use(s)


Special uses: None.

# SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

## R-410a

Revision: 08. 08. 2019.



### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

	CAS-NUMBER	Limit value, Eight hours (mg/m <sup>3</sup> )	Limit value, Short term (mg/m <sup>3</sup> )	Country
1,1,1,2,2-pentafluoroethane	354-33-6	2500	3750	Sweden

#### 8.2. Exposure controls

Engineering measures: Do not inhale the gas! Avoid contact with liquefied gas with eyes or skin! Provide adequate ventilation! Only in closed, leak-proof network. No smoking, open flames and ignition sources related activities are prohibited!

Hygiene standards: The people in contact with product should be maintained the workplace hygiene standards. After the treatment of the product at breaks, before eating, after work the hot hand and face washing is necessary.

#### Personal protective equipment

Eye and face protection: Safety glasses with side-shields or face shield recommended to wear.

#### Skin protection

Hand protection: Avoid hand contact. Avoid hand contact, wear EN 511 standard cold contact protective gloves is recommended.

Other: Long sleeve anti-static protective clothing and footwear EN ISO 20345 is recommended.

Inhalation protection: In case of gas leak, EN 14593 standard compressed air breathing apparatus is recommended.

#### Environmental exposure controls

Environmental exposure control : No need

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties


Physical condition (20°C): Gas  
 Colour: Colourless gas  
 Odour: Faint ethereal.

## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.



### Properties

### Value

pH (20°C):	Neutral
Melting point / Freezing point:	No information.
Initial boiling point and boiling range:	-52,8°C
Fire point:	Non-flammable.
Evaporating rate:	No information.
Flammability:	Non-flammable.
Upper / lower flammability or explosive limits	
– lower explosive limit:	No information.
– upper explosive limit:	No information.
Vapor Pressure:	14,84 bar (21°C)
Vapor density:	
Relative density, gas:	3,0
Relative density, liquified gas:	No information.
Solubility	
– In water:	No data.
– Organic solvents:	No information.
Partition coefficient: n-octanol/water:	No information.
Auto-ignition temperature:	No information.
Decomposition temperature:	No information.
Kinematic viscosity:	No information.
Explosive properties:	No information.
Oxidizing properties:	No information.

### 9.2. Other information

No information.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity


Reactivity: No specific reactivity other than those specified under section 10.5.

## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.



### 10.2. Chemical stability

Stability: Stable in the recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: May decompose on contact with flames or extremely hot metal surfaces to produce toxic and corrosive products.

### 10.4. Conditions to avoid

Situations to avoid: Ignition sources, naked flames, sparks, statical discharge, leaks.

### 10.5. Incompatible materials

Materials to avoid: Avoid contact with strong alkali or alkaline earth metals, finely powdered metals such as aluminum, magnesium or zinc and strong oxidizers, since they may react or accelerate decomposition.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: Thermal decomposition products include hydrogen fluoride, hydrogen chloride, carbon monoxide, carbon dioxide and chlorine.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity:

Skin: Not classified as hazardous.

Frostbite may possible.

Eyes: Frostbite may possible.

Inhalation: Not classified as hazardous.

High concentrations may effect the nervous system and produce a rapid anesthetic effect. The dense vapor of this material can reduce the oxygen available for breathing and produce symptoms such as headache, dizziness, drowsiness, cyanosis and lack of muscle control followed by collapse.

Pentafluoroethane:

Single exposure (acute) studies indicate: inhalation - Practically Non-Toxic to Rats (4-hr LC<sub>50</sub> > 800,000 ppm) Following repeated




# SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

## R-410a

Revision: 08. 08. 2019.



inhalation exposure, no adverse effects were observed in rats.

### Difluoromethane:

Acute inhalation of high concentrations has produced an anesthetic effect in rats. Following repeated inhalation exposure, no adverse effects were observed in rats. Single exposure (acute) studies indicate: Inhalation - Practically Non-toxic to Rats (4-hr LC<sub>50</sub> >520,000 ppm)

### Ingestion:

Not classified as hazardous.

Ingestion is not considered a potential route of exposure.

### Irritation:

Not classified as hazardous.

### Corrosion:

Not classified as hazardous.

### Repeated dose toxicity:

No information

### Sensitisation:

Not classified as hazardous.

### Pentafluoroethane:

Inhalation, followed by intravenous injection of epinephrine to simulate stress reactions, resulted in cardiac sensitization in dogs.

### Difluoromethane:

Inhalation, followed by intravenous injection of epinephrine to simulate stress reactions, resulted in cardiac sensitization in dogs.

### Carcinogenicity:

Not classified as hazardous.

### Mutagenicity:

Not classified as hazardous.

### Reproductive toxicity:

Not contains known or suspected reproductive toxic ingredients.

### Repeated dose toxicity:

#### Sub-chronic toxicity:


No information.

## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.



### Target organ toxicity (STOT):

Single exposure Not classified as hazardous.  
Repeated exposure Not classified as hazardous.

### Aspiration toxicity

Not classified as hazardous.

## SECTION 12: Ecological information

### 12.1. Toxicity

General information: When released into the environment, this material may be expected to partition almost exclusively into the atmosphere.

### 12.2. Persistence and degradability

General information: Pentafluoro-ethane:  
In a 28-day ready biodegradability closed bottle test, it appeared to be stable (about 2% degraded).

Difluoromethane:  
In a 28-day ready biodegradability closed bottle test, it appeared to be stable.

### 12.3. Bioaccumulative potential

General information: Pentafluoro-ethane:  
Bioaccumulation is considered unlikely.

log P<sub>ow</sub> Pentafluoro-ethane: 1,48  
Difluoromethane: 1,62

### 12.4. Mobility in soil


- Air: No information.
- Water: Pentafluoro-ethane: This material does not dissociate in water.
- Soil: No information.

# SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

## R-410a

Revision: 08. 08. 2019.



### 12.5. Results of PBT and vPvB assessment

No information.

### 12.6. Other adverse effects

No information.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Mixture:

Avoid discharge to atmosphere.

Do not discharge into any place where its accumulation could be dangerous.

Refer to supplier's waste gas recovery programme.

Contact supplier if guidance is required.

#### Contaminated packaging:

Recycling.

## SECTION 14: Transport information

### 14.1. UN-number

UN-number: UN3163

### 14.2. UN proper shipping name

International transport: LIQUEFIED GAS, N.O.S. (1,1,1,2,2-pentafluoroethane; Difluoromethane)

### 14.3. Transport hazard class(es)

Classification code 2A

Labels: 2.2

### 14.4. Packing group


None

## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.



### 14.5. Environmental hazards

ADR/RID	None.
IMDG	None.
ADN	None.

### 14.6. Special precautions for user

ADR/RID	Transport category: 3 Tunnel restriction code: (C/E) Hazard identification No.: 20 Limited quantity: 120 ml Special provision(s): CV9 CV10 CV36 Shunting labels: Required.
---------	---

Avoid transport on vehicles where the load space is not separated from the driver's compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Before transporting product containers ensure that they are firmly secured and:

- cylinder valve is closed and not leaking
- valve outlet cap nut or plug (where provided) is correctly fitted
- valve protection device (where provided) is correctly fitted
- there is adequate ventilation.
- compliance with applicable regulations.

IMDG	EMS Code: F-C, S-V Stowage category: Category A
------	--

ICAO	Limited quantity: forbidden Passenger and Cargo Aircraft: 75 kg (200) Cargo Aircraft only: 150 kg (200)
------	---

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

-

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture


- REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing

# SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

## R-410a

Revision: 08. 08. 2019.



Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

- COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer
- European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) applicable from 1st of January 2019

### 15.2. Chemical safety assessment

No information.

### SECTION 16: Other information

The risk of choking is often overlooked, so it should be emphasized during the operational training. Users should be trained in the method of artificial respiration.

### The full H-statements from the Section 2. and 3:

H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.

### The full abbreviation from the Section 2. and 3:

Flam. Gas	Flammable gas
Press. Gas	Gas under pressure

### Used evaluation of hazard information:

According to Regulation (EC) 1272/2008 Article 9 for the classification used paragraph 1. and 5.

The safety data sheet comply with Regulation (EU) No. 2015/830. All points in the previous SDS have been changed.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory

## SAFETY DATA SHEET

according to Regulations (EC) 1907/2006 and (EU) 2015/830

# R-410a

Revision: 08. 08. 2019.

---

texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

---

End of safety data sheet.

